

PROFESSIONAL PAINT FOR TIMBER



SUMMER 2022

01223 497097

www.mightoncoatings.com

NEXT DAY
DELIVERY



COLOUR MATCH TO
ANY OTHER PAINT
SYSTEM INCLUDING
POSH PAINTS



BIG SAVINGS
NO HIDDEN CHARGES
NO MATCHING FEE
SIMPLE PRICING



OUR COATINGS

All our exterior coatings are KOMO accredited and suitable for Accoya®. The KOMO Quality Mark guarantees that the quality of a product has been objectively and repeatedly tested by independent experts



exterior

Superior paint for exterior joinery in a range of glorious standard and colour matched colours. These products are designed for maximum performance.














interior

High quality paint for interior joinery available in a range of colours & colour matched. Perfect for use on kitchen units.

product key

■ exterior ■ interior

	waterborne solution		suitable for windows
	eco friendly		suitable for doors
	can be applied with a roller		suitable for dimensionally stable timber
	can be applied with a brush		must not freeze
	can be applied with a spray gun		suitable for electrostatic sprayers
	suitable for systems intended to heat and regulate the flow		



ACCOYA®


All our exterior coatings have been specially formulated to work with Accoya® and its durability and stability helps keep our coatings looking great for even longer.

COLOUR MIXING & MATCHING

colour-matching

Our water-based systems can be mixed to any colour you can think of. This is done using computerised dispensing systems that combine accurate amounts of coloured tints with one of two colour bases by following a recipe. A recipe can contain several different tints. We hold 1000's of pre-loaded recipes on our modern computerised colour library database. Recipes that we have matched to many popular colours and tints from many systems. This means we can call an existing colour recipe up in seconds and dispense the perfect mix immediately.

And if we don't have the recipe, we can often create it same day for you here on-site from your sample or a swatch reference from any other paint system.. including posh paints.



mixing

Our colour mixing is done on site using the latest computer-controlled agitation systems. These systems are designed to thoroughly mix the tints and base together in a controlled way, ensuring a consistent distribution of the tints throughout the base.

Once the dispenser has dispensed the correct amount of tint into the base, we load the can into our mixing system, and it is mixed for a pre-determined length of time. When the product has been mixed, it is labelled with your recipe name and ready for shipping. Our in-house systems can dispense as little as 2.5 litres accurately and quickly.

Two more great reasons to use Mighton Coatings.



matching RAL, NCS and BS4800 standard colours

We can mix traditional RAL, NCS and BS4800 standard colours from our existing library. Like all paint manufacturers, we try and replicate colours as closely as possible. But because of the different processes used by each company, it is possible that the colour produced may vary slightly from manufacturer to manufacturer.

Especially when viewed under different lighting conditions. Therefore, customers are advised to check colours on a small inconspicuous area first by painting a small area first. We strongly recommend the testing be carried out on the actual surface the paint will ultimately be used on as the texture of a surface and even the inconsistencies found in timber can change the appearance of the final colour. We cannot be held responsible for variances resulting from poor lighting, poor preparation etc.

Note | minimum quantities may apply depending on colour complexity.
Call +44(0)1223 497097 or email paint@mighton.co.uk for more details

For full details about our paints and coatings, including our colour charts, please see our paint brochure.

Technical and safety sheets are available to download from mightonproducts.com

same day
in-house matching
& mixing



END GRAIN SEALER



- > unique waterborne sealer with specially formulated water-resistant ingredients
- > fast drying, very good adhesion and environmentally friendly
- > high water resistance
- > high build - high layer thickness possible without sagging
- > recoatable with waterborne and solvent borne paints
- > perfect for sealing edges and ends of window frames and other materials such as plywood



(prices exc. vat)

CODE	COATING	COLOUR	FINISH	1 LTR
25-0350-110-M	end grain sealer	standard white	matt	£8.99
25-0350-000-M	end grain sealer	clear	matt	£8.99

EXTERIOR



- > suitable for exterior and interior joinery
- > fast drying and environmentally friendly
- > very good weather resistance and blocking resistance
- > excellent flow characteristics and edge coverage



colour match
available

SEALER PRIMER



(prices exc. vat)

CODE	COATING	COLOUR	FINISH	2.5 LTR	10 LTR	20 LTR
17-0576-110-M	sealer primer	standard white	matt	£16.49	£58.50	£106.00
17-0576-GRY-M	sealer primer	grey*	matt	£18.50	£63.25	£112.00

*matched to RAL 7035





- > water based topcoats for exterior joinery available in matt, semi gloss and gloss finishes
- > fast drying one pot system
- > very good weather and UV resistance
- > very good blocking resistance
- > for dimensionally stable items



colour match
available



from just
£7.25
per litre

(prices exc. vat)

CODE	COATING	COLOUR	FINISH	2.5 LTR	20 LTR
17-0695 WHT	TC20 opaque topcoat	standard white	matt	£23.00	£145.00
17-0695 HER	TC20 opaque topcoat	heritage white	matt	£27.00	£170.00
17-0695	TC20 opaque topcoat	colours*	matt	£27.00	£170.00
17-0680 WHT	TC30 opaque topcoat	standard white	semi gloss	£23.00	£145.00
17-0680 HER	TC30 opaque topcoat	heritage white	semi gloss	£27.00	£170.00
17-0680	TC30 opaque topcoat	colours*	semi gloss	£27.00	£170.00
17-0679 WHT	TC70 opaque topcoat	standard white	gloss	£23.00	£145.00
17-0679 HER	TC70 opaque topcoat	heritage white	gloss	£27.00	£170.00
17-0679	TC70 opaque topcoat	colours*	gloss	£27.00	£170.00

* includes colours from the exterior opaque range and colour matching to other paint systems

Blackwater	Abbottsley	Downham	Cottered	Cardinal
Caxton	Bourn	Norton	Amwell	Chesterton
Teversham	Ilkerton	Shelford	Guilden	Walden
Radlett	Derwent	Heritage White	Pampisford	Wilstone
Steeple	Whittlesford	Sandon	Bygrave	Standard White





- > water based matt and semi gloss topcoat for exterior joinery
- > fast drying one pot system
- > very good weather and UV resistance
- > very good blocking resistance and environmentally friendly



colour match
available



just
£7.60
per litre

(prices exc. vat)

CODE	COATING	COLOUR	FINISH	2.5 LTR
17-0658 -TR-M	translucent topcoat	colours*	semi matt	£18.99
17-0659 -TR-SG	translucent topcoat	colours*	semi gloss	£18.99
* includes colours from the exterior transparent range and colour matching to other paint systems				

please note | Although we make every effort to match these colour swatches as closely to the paints as possible, due to limitations in the printing process we cannot guarantee an exact colour representation match. This product requires a colour to give it its UV resistance. It cannot be sprayed as a clear finish. Please select a colour when ordering.

Kennett	Wentworth	Duxford	Light Oak	Chestnut
Teak	Mahogany	Knapwell	colour match available	



application selector

Our superior quality water based exterior paints and stains have been developed for their excellent durability, longevity and performance. Superb for doors and windows and suitable for use on Accoya®



solid opaque finish

three coat system

sealer primer

17-0576-110

150 - 180 microns wet
per layer

two coats

translucent finish

three coat system

Accoya® should be treated first with an
impregnation coat of 17 – 0675 to protect
against mould growth.

translucent semi matt
coating

17-0658

150 - 180 microns wet
per layer

three coats

translucent semi gloss
coating

17-0659

150 - 180 microns wet
per layer

three coats

opaque matt topcoat

17-0695

150 - 180 microns wet
per layer

one coat

opaque semi gloss topcoat

17-0680

150 - 180 microns wet
per layer

one coat

opaque gloss topcoat

17-0679

150 - 180 microns wet
per layer

one coat

EXTERIOR

HIGH BUILD PRIMER

from just
£4.60
per litre



- > water based high build wood primer for staircases, kitchens and interior wooden components
- > excellent adhesion and stackability
- > fast drying and environmentally friendly
- > re-coatable with both solvent borne and water based paints
- > based on a styrene acrylic dispersion system
- > very low solvent emission and environmentally friendly



(prices exc. vat)

CODE	COATING	COLOUR	FINISH	10 LTR	20 LTR
17-0555-314	high build primer	white	matt	£56.00	£92.00

TOPCOAT | TRANSPARENT



- > water based topcoats for interior joinery available in a satin finish
- > fast drying and good flow
- > very good abrasion and scratch resistance
- > very good blocking resistance
- > odourless and environmentally friendly



(prices exc. vat)

CODE	COATING	COLOUR	FINISH	2.5 LTR
16-0266-000	clear lacquer topcoat	clear and colours mixed to order*	satin	£32.00

*we have thousands of recipes and can also match your chosen colour quickly

from just
£11.75
per litre



- > water based topcoats for interior joinery in a satin finish
- > fast drying and good flow
- > very good abrasion and scratch resistance
- > very good blocking resistance
- > odourless and environmentally friendly



colour match
available




(prices exc. vat)

CODE	COATING	COLOUR	FINISH	1 LTR	4 LTR
17-0865	opaque topcoat	standard white and colours*	satin	£14.00	£47.00

*we have thousands of recipes and can also match your chosen colour quickly

INTERIOR

please note | Although we make every effort to match these colour swatches as closely to the paints as possible, due to limitations in the printing process we cannot guarantee an exact colour representation match.

Thurston	Hengrave	Risby	Culford	Beyton
Pakenham	Felsham	Lawshall	Ampton	Depden
Wickhambrook	Lidgate	Saxham	Lackford	Chevington
Elvedon	Herringswell	Honington	Wordwell	Hessett
Standard White	colour match available			

application selector

Getting brilliant paints and finishes has never been easier. Our interior paints are great for kitchens, furniture, stairs, doors and more.

wet film thickness

primer - 200 microns wet (horizontal spraying) - 150 microns wet (vertical spraying)

topcoat - 120 microns wet (horizontal spraying) - vertical spraying not recommended



solid opaque finish

two coat system

high build primer
17-0555-314

one or two coats
(Depending on quality
of mdf or wood)

opaque satin topcoat
17-0865

one coat

transparent finish

two coat system

clear satin builder
16-0266-000

two or three coats
(Depending on desired
grain filling and lustre
required)

tinted finish

three coat system

tinted satin builder
16-0266-000

two or three coats
(Depending on desired
depth of tint)

clear satin topcoat
16-0266-000

two coats

INTERIOR



coating system guarantee

Our coatings are manufactured by **Anker Stuy** Coatings in The Netherlands.

Anker Stuy produce technically excellent coatings for the joinery industry and guarantee their factory applied coatings for up to 12 years on opaque finishes depending on the colour of the coating & the type of timber used. We are pleased to pass this guarantee on to our customers.

See below for more information on the **Anker Stuy Coating Systems guarantee**



the guarantee

Designed to cover embrittlement, flaking or cracking of the coating system due to a coating manufacturing fault. Full details on what can be claimed along with an example of a specified coating system are detailed in the **Anker Stuy Coating Systems Guarantee** which is available upon request by emailing us at Sales@mighton.co.uk or calling us on **01223 497097**.

we are here to help

We understand that changing your coatings supplier can be a big decision and one that shouldn't be taken lightly. That's why we and our coatings manufacturer **Anker Stuy** are here to help provide you with data sheets and advice. The technical staff at **Anker Stuy** can provide helpful knowledge and advice on the correct products to use as well as the design and construction of timber products.

for further information one how we can help you and your business, give us a call or send us an email.

You can also find lots of useful information at www.mightoncoatings.com


working with other paint systems

Our paints have primarily been designed to work within our own paint system. However, they will also work in conjunction with most other manufacturer paint systems. Before applying our paint with other paint systems, we strongly advise that you test our paint to ensure complete compatibility before final application, as we cannot be held responsible for unsuitable use with different paint systems.

matching RAL, NCS and BS4800 standard colours

We can mix traditional RAL, NCS and BS4800 standard colours from our existing library. Like all paint manufacturers, we try and replicate colours as closely as possible. But because of the different processes used by each company, it is possible that the colour produced may vary slightly from manufacturer to manufacturer.

Especially when viewed under different lighting conditions. Therefore, customers are advised to check colours on a small inconspicuous area first by painting a small area first. We strongly recommend the testing be carried out on the actual surface the paint will ultimately be used on as the texture of a surface and even the inconsistencies found in timber can change the appearance of the final colour. We cannot be held responsible for variances resulting from poor lighting, poor preparation etc.



KOMO certification is a quality mark and the accreditation is a highly trusted and respected international standard that guarantees quality and safety, and ensures that all our paints are not only manufactured to the highest possible standard but are also completely able to accomplish what they are designed to do.

If you have a question about our paint and how to use it, or indeed choose it, then please do contact us, we're here to help.

Technical and safety sheets are available to download from www.mightonproducts.com or by calling 01223 497097.

sales@mighton.co.uk
+44 (0)1223 497097

index page

about us

- our coatings
- Accoya®
- colour mixing and matching
- matching to paint systems

2
3
4
5

exterior

- end grain sealer
- sealer primer
- opaque topcoat
- translucent topcoat
- application selector

6
6
7
6
9

interior

- high build primer
- opaque topcoat
- transparent topcoat
- application selector

10
10
11
12

information

- coating system guarantee
- colour matching

13
14



FREE DELIVERY!

NEXT WORKING DAY DELIVERY...

* Excludes weights | Please note that we reserve the right to change delivery prices at anytime
Excludes Highlands and Islands and other remote areas | Additional charges apply for shipments outside GB
Orders must be placed before 4.45pm | Net price of £99

V3 Revision Date: 28/06/2022

0800 056 0471 | sales@mighton.co.uk

Mighton Products Ltd | Hinxton | Cambridgeshire | CB10 1RG | UK

